

## 6" Waterproof Ceiling Speaker (1.5W-3W-6W)






### Features:

- Commercial waterproof ceiling speaker with transformer.
- Ideal for marine, ship, washroom, bathroom BGM.
- Rated power output 1.5W-3W-6W at 100V.
- 6" full range waterproof PP driver unit.
- Line input 100V or 70V.
- ABS enclosure, and ABS grille in white.
- In-ceiling quick installation by spring clip.

<b>Description</b>	6" Waterproof Ceiling Speaker
<b>Rated Power Output</b>	1.5W-3W-6W
<b>Line Input</b>	100V or 70V
<b>Frequency Response</b>	100-15KHz
<b>SPL(@1W/m)</b>	91dB
<b>Speaker Unit</b>	6" full range waterproof PP cone
<b>Cutout Size</b>	165mm
<b>Dimension</b>	186(D)×65(H)mm
<b>Material</b>	ABS enclosure, ABS grille in white
<b>Mounting Way</b>	In-ceiling spring clip quick installation
<b>Weight</b>	0.5 kg

### Dimension & Mounting



**Frequency Response & SPL Diagrams:**


The information provided in this data brochure is correct at the time of printing. All changes or modifications, may then be technical or other, or changes in the availability of products are expressly reserved. No liability will be assumed for printing mistakes and errors. ©isolectra Far East Pte Ltd.

No. 8 Commonwealth Lane #02-04 Singapore 149555, Tel: +65 6272 2371 Fax: +65 6278 9019, Email: [enquiry@isolectra.com.sg](mailto:enquiry@isolectra.com.sg), Website: [www.isolectra.com.sg](http://www.isolectra.com.sg)